

COVID AS AN IMMUNOSUPPRESSIVE DISEASE A REVIEW

Hafsa Javaid Malik^{1*}, Ifra Chaudhry²

^{1,2}Faculty of Veterinary and Animal Sciences, MNS University of Agriculture, 66000, Multan, Pakistan hafsajavaid2017@gmail.com



*Corresponding Author

Article History:

Submitted: 13-07-2022 Accepted: 14-07-2022 **Published: 15-07-2022**

Keywords:

heparin, endothelium, cytokine storm, cathepsin, coronavirus, COVID, acute kidney injury, ACE2, blood pressure, and Kawasaki disease.

Brilliance: Research of Artificial Intelligence is licensed under a Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0).

ABSTRACT

The three symptoms of coronavirus disease (COVID-19) that patients most often mention are cough, fever, and shortness of breath. However, other significant illnesses that are frequently observed in COVID-19 patients (such as diabetes mellitus, hypertension, kidney disease, neurologic disorders, arterial and venous thromboembolism, and kidney disease) imply that the virus is specifically attacking the endothelium, one of the largest organs in the human body. We provide here a systematic and comprehensive analysis of both clinical and preclinical evidence in support of the idea that the endothelium is a major target organ in COVID-19 and give a mechanistic explanation for its systemic symptoms.

INTRODUCTION

Worldwide, the COVID-19 coronavirus disease outbreak represents a serious public health crisis. [1-7]. The first case of COVID-19, which is brought on by the SARS-CoV-2 coronavirus, was discovered in Wuhan, the capital of China's Hubei province, in December 2019 [1-7]. Covid-19 is a viral disease so only vaccine can be done as prevention. Viral diseases don't have any treatment [8-11] Cough, fever, and shortness of breath are the symptoms that are stated the most often. Why respiratory symptoms are so widespread is explained by the disease's pathogenesis: In actuality, the virus is able to penetrate host cells thanks to the angiotensin-converting enzyme 2 (ACE2) protein, which is widely present in the lungs. However, endothelial cells also express ACE2 [12-14], and these cells also express other important clinical outcomes that are often seen in COVID-19 patients, including hypertension and thrombosis. The endothelium of the kidney, one of the major human organs, has been suggested as the virus' potential target (disease, pulmonary embolism, cerebrovascular and neurologic diseases). Young COVID-19 patients have shown signs of Kawasaki disease, which supports our notion that SARS-CoV-2 caused a systemic vasculitis.

LITERATURE REVIEW

The pathophysiology of COVID-19

Spike has been discovered as a co-receptor for coronavirus entry. Spike is a surface glycoprotein (peplomer) that SARS-CoV-2 uses to enter host cells [3]. Therefore, the density of ACE2 in each tissue may be connected to how sickly that tissue is [4]. Other receptors have been suggested to aid SARS-CoV-2 entry into human cells, including transmembrane serine protease 2 (TMPRSS2), sialic acid receptors [4], and extracellular matrix metalloproteinase inducer (CD147, also known as basigin) [6]. Furthermore, catepsins B and L have been shown to be significant entry factors in the pathogenesis of COVID-19.

A renal illness COVID-19 report

More than 20% of COVID-19 patients who are critically ill or die have been shown to have acute kidney injury (AKI), a statistic that is consistent across studies from China [15], Italy, and the United States It is important to note that AKI, proteinuria, and hematuria have all been independently associated to a higher risk of dying in COVID-19 individuals. Furthermore, a meta-analysis of 1389 COVID-19 patients revealed that those with a severe COVID-19 condition had a much-increased risk of having underlying chronic renal disease (3.3 percent vs. 0.4 percent; odds ratio 3.03, 95 percent confidence interval: 1.09-8.47). A single-cell analysis research has shown the expression of ACE2 and



TMPRSS2 in human renal endothelial cells and most recently, electron microscopy has demonstrated the presence of viral particles in the endothelial cells of the glomerular capillary loops of a COVID-19 patient. According to immunohistochemistry tests, renal endothelial cells do not express ACE2. Additionally, endothelial damage was a common finding in the renal histological examinations of 26 COVID-19 patients [16] in the absence of interstitial inflammatory infiltrates.

Diabetes and HIV-19

Diabetes mellitus is a prevalent co-morbidity in COVID-19 patients and is linked to a poorer outcome . In fact, 20% of patients who had pneumonia episodes with uncertain etiologies and a history of exposure to the Huanan seafood market before January 1, 2020, also had diabetes [24]. Similar findings were obtained in the 1099 COVID-19 patients investigated by Guan and colleagues: 7.4% of patients developed diabetes, and for those with severe illness (vs. 5.7%), this number rose to 16.2% . Additionally, compared to 13.7 percent, 35.8 percent of patients who suffered the composite outcome of ICU admission, mechanical ventilation, and mortality had diabetes. According to Italian statistics, more than two-thirds of COVID-19 patients who did not survive had diabetes. In summary, diabetes is a prevalent co-morbidity, a risk factor, and an independent prognostic factor in COVID-19 patients. Furthermore proving that diabetes has negative impacts on COVID-19 patients are two meta-analyses[17].

Thrombosis and COVID-19

Patients with COVID19 often exhibit coagulation problems, organ failure, and coagulopathy, which are associated with higher mortality [18]. Important data were obtained from examinations of samples collected from COVID-19 patients upon admission and during their hospital stay for the prothrombin time (PT), activated partial thromboplastin time (APTT), antithrombin activity (AT), fibrinogen, fibrin degradation product (FDP), and D-dimer . Non-survivors had prolonged PT and significantly higher D-dimer and FDP levels than survivors at admission. In the latter stages of their hospitalisation, non-survivors also had their fibrinogen and AT levels dramatically decreased and dropped, which is compatible with a clinical diagnosis of disseminated intravascular coagulation (DIC). Particularly, among 191 COVID-19 patients investigated at two hospitals in Wuhan, D-dimer levels > 1 g/L at admission suggested an 18-fold increase in the odds of dying before discharge. Be aware that DIC caused by a systemic infection displays an early, overly inflammatory response that is only linked to endothelial damage [19].

METHOD

We conduct survey in order to find out other diesease due to covid as covid decreased immunity in results other dieseases attack on infected persons.

RESULT

Antibiotics could be used for treatment of secondary infections [20,21,22] as Covid-19 is immune suppressive disease the disease which decrease the immunity[23].

DISCUSSION

As results show the COVID-19 effect on human badly and vaccine can effect positive as vaccine inhibit the disease. Secondary antibiotics can be use for bacterial disease during COVID-19.

CONCLUSION

Covid-19 is an immune suppressive disease due to which other disease can attack and cause severe illness so for prevention of covid-19 vaccine is mendatory. Antibiotics can be use as secondary treatment for other bacterial infection.

REFERENCES

- 1. Muthanna, F. M., & Samad, A. (2022). Covid-19 Pendemic (Incidence, Risk factors and Treatment). *BULLET: Jurnal Multidisiplin Ilmu*, 1(01), 46-48.
- 2. Al-Awkally, Noor-Alhooda Milood, Hamza Khalifa Ibrahim, and Abdul Samad. "Antipsychotic Combinations for Psychiatric Disorders." *BULLET: Jurnal Multidisiplin Ilmu* 1.01 (2022): 49-50
- 3. Ibrahim, H. K., Al-Awkally, N. A. M., Samad, A., Zaib, W., & Hamza, M. (2022). Covid-19 Pandemic and Its Impact on Psychological Distress, Malignancy and Chronic Diseases: A Scoping Review. *Eduvest-Journal Of Universal Studies*, 2(5), 1017-1021.



- Samad, A., Hamza, M., Muazzam, A., Ahmer, A., Tariq, S., Ahmad, S., & Mumtaz, M. T. (2022). Current Perspectives on the Strategic Future of the Poultry Industry After the COVID-19 Outbreak. *Brilliance: Research of Artificial Intelligence*, 2(3), 90-96.
- Ahmer, A., Hamza, M., Muazzam, A., Samad, A., Tariq, S., Ahmad, S., & Mumtaz, M. T. (2022). Effects of COVID-19 on environmental conditions and poultry production. *Brilliance: Research of Artificial Intelligence*, 2(3), 97-101.
- 6. Arif, S., Zia, T., Qayyum, Z., Mustafa, G., Ateeq, M., Farhad, S., ... & Muthanna, F. M. (2022). Prevalence and Risk Factors of Covid-19 Mortality and its Impact on Social Life of Pakistani Population. *Pakistan Journal of Medical & Health Sciences*, 16(03), 800-800.
- 7. Arif, S., Zia, T., Mustafa, G., Qayyum, Z., Ateeq, M., Faiz, M. J., ... & Ullah, I. (2022). Knowledge, Attitude and Practices of Medical Students Regarding Covid-19, Pakistan. *Pakistan Journal of Medical & Health Sciences*, 16(03), 783-783.
- 8. Samad, A., Ahmad, H., Hamza, M., Muazzam, A., Ahmer, A., Tariq, S & Muthanna, F. M. (2022). Overview of Avian Corona virus, its prevention and control Measures. *BULLET: Jurnal Multidisiplin Ilmu*, 1(01), 39-45.
- 9. Samad, A. ., Hamza, M., Muazzam, A. ., Ahmad, H. ., Ahmer, A. ., Tariq, S. ., Khera, H. U. R. A. ., Mehtab, U. ., Shahid, M. J. ., Akram, W. ., Kaleem, M. Z. ., Ahmad, S. ., Abdullah, A. ., & Ahmad, S. . (2022). Policy of control and prevention of infectious bursal disease at poultry farm. *African Journal of Biological, Chemical and Physical Sciences*, 1(1), 1-7.
- 10. Samad A, Abbas A, Mehtab U, Ur Rehman Ali Khera H, Rehman A and Hamza M. Infectious Bronchitis Disease in Poultry its Diagnosis, Prevention and Control Strategies. *Ann Agric Crop Sci.* 2021; 6(7): 1100.
- 11. Samad, A., Hamza, M., Muazzam, A., Ahmer, A., Tariq, S., Javaid, A., ... & Ahmad, S. (2022). Newcastle Disease In Poultry, Its Diagnosis, Prevention And Control Strategies. *BULLET: Jurnal Multidisiplin Ilmu*, 1(01), 1-5.
- 12. Manzoor, M. ., Khan, M. Z. ., Sarwar, A. ., Daud, F. ., Ilah, I.- u, Mir, H., Tahreem, B. ., Awais, M. ., Bangash, S. A., & Muthanna, F. M. . (2021). Comparison of p16 with human papillomavirus with oral squamous cell carcinoma and oral premalignant lesion: Human Papillomavirus with Oral Squamous Cell Carcinoma. *Pakistan BioMedical Journal*, 4(2), 287–291.
- 13. Manzoor, M., Ahmad, B., Sarwar, A., Khan, M., Ilah, I.- u, Mir, H., Awais, M., Bangash, S. A., & Muthanna, F. (2021). Epidemiological And Histopathologic Study Of Rhabdomyosarcoma cases in a tertiary Care hospital of Peshawar: Epidemiological and Histopathologic Study of Rhabdomyosarcoma Cases. *Pakistan BioMedical Journal*, 4(2), 292–296.
- 14. Manzoor, M., Maqbool, M., Sarwar, A., Khan, M., Ilah, I.- u, Mir, H., Batool, B., Bangash, S. A., & Muthanna, F. M. (2022). Adults with Celiac Disease: Histopathological and Immunohistochemical Analysis of Small Intestinal Biopsies. *Pakistan BioMedical Journal*, 5(1), 249–252.
- 15. Sikandar Ali Khan, Inam-U-Llah, K. Suresh Babu, Sidra Wali, Abdul Malik, Muhammad Mahtab Shabir, Hafiza Sobia Razaq, Fares Mohammed Saeed Muthanna .Level of Awareness About Risk Factors Associated with Diabetic Foot in Type 2 Diabetic Patients,; pjmhsonline.com. Retrieved Jan 28, 2022, from https://pjmhsonline.com/published-issues//2022January/1252-1
- Sadia Farhad, Inam-U-Llah, K. Suresh Babu, Sidra Wali, Bushra Tahreem, Izba Amjad, Sana Khalid, Fares Mohammed Saeed Muthanna. Detection of Anti-Erythropoietin Antibodies in Patients with Chronic Renal Failure Undergoing Hemodialysis; pjmhsonline.com. Retrieved Jan 25, 2022, from https://pjmhsonline.com/published-issues/2022/January/1-1256
- 17. Sikandar Ali Khan, Inam-U-Llah, K. Suresh Babu, Sidra Wali, Abdul Malik, Muhammad Mahtab Shabir, Hafiza Sobia Razaq, Fares Mohammed Saeed Muthanna .Level of Awareness About Risk Factors Associated with Diabetic Foot in Type 2 Diabetic Patients,; pjmhsonline.com. Retrieved Jan 28, 2022, from https://pjmhsonline.com/published-issues//2022January/1252-1
- 18. Manzoor, M. ., Khan, M. Z. ., Sarwar, A. ., Daud, F. ., llah, I.- u, Mir, H., Tahreem, B. ., Awais, M. ., Bangash, S. A., & Muthanna, F. M. . (2021). Comparison of p16 with human papillomavirus with oral squamous cell carcinoma and oral premalignant lesion: Human Papillomavirus with Oral Squamous Cell Carcinoma. *Pakistan BioMedical Journal*, 4(2), 287–291.
- Manzoor, M., Ahmad, B., Sarwar, A., Khan, M., Ilah, I.- u, Mir, H., Awais, M. ., Bangash, S. A., & Muthanna, F. (2021). Epidemiological And Histopathologic Study Of Rhabdomyosarcoma cases in a tertiary Care hospital of Peshawar: Epidemiological and Histopathologic Study of Rhabdomyosarcoma Cases. *Pakistan BioMedical Journal*, 4(2), 292–296.



- 20. Mohammed, A. A., Samad, A., & Omar, O. A. (2022). Escherichia coli spp, Staph albus and Klebseilla spp were affected by some Antibiotics for Urinary Tract Infections in Bani Waleed City. *Brilliance: Research of Artificial Intelligence*, 2(2), 66-70.
- 21. Samad, A., Hamza, M., Muazzam, A., Ahmer, A., Tariq, S., Shahid, M. J., ... & Din, F. U. (2022). Overview of Bacterial Diseases in Poultry and policies to control disease and antibiotic resistance. *BULLET: Jurnal Multidisiplin Ilmu*, 1(01), 19-25.
- 22. Al-Awkally, N. A. M., Ibrahim, H. K., Ali, M. D., Muthanna, F. M., Al-Awkally, A. M., & Yousuf, A. (2022). Study of antibiotic sensitivity pattern in urinary tract infection. *International Journal of Health Sciences*, 6(S3), 8896–8913. https://doi.org/10.53730/ijhs.v6nS3.8113
- 23. Muthanna, F. M., Samad, A., Ibrahim, H. K., Al-Awkally, N.-A. M., & Sabir, S. (2022). Cancer related anaemia (CRA): An overview of approach and treatment. *International Journal of Health Sciences*, 6(S2), 2552–2558. https://doi.org/10.53730/ijhs.v6nS2.5578